

# Ordinary Thinking

## Objective Questions

### Classification of Polymer

1. Which one among the following is a thermosetting plastic  
[MP PMT 1993, 95; AIIMS 1999]  
(a) PVC (b) PVA  
(c) Bakelite (d) Perspex
2. The basis on the mode of their formation, the polymers can be classified  
[MP PET 1999]  
(a) As addition polymers only  
(b) As condensation polymers only  
(c) As copolymers  
(d) Both as addition and condensation polymers
3. Thermoplastics are  
(a) Linear polymers (b) Highly cross-linked  
(c) Both (a) and (b) (d) Crystalline
4. 'Cis-1, 4-polyisoprene' is  
(a) Thermoplastic (b) Thermosetting plastic  
(c) Elastic (rubber) (d) Resin
5. 'Shellac' secreted by lac insects is  
(a) Natural plastic (b) Natural resin  
(c) Natural elastic (d) Any of these
6. Which of the following is not a polymer  
(a) Gun cotton  
(b) Perspex  
(c) Shellac (eg. lac shellac)  
(d) Wax (eg. bees wax)
7. Which of the following is not a polymer  
(a) Wool (b) Cotton  
(c) Leather (d) Fat
8. Melmoware are  
(a) Thermosetting (b) Thermoplastic  
(c) Both (a) and (b) (d) None of these
9. Among the following a natural polymer is  
[MP PET 1993; BCECE 2005]  
(a) Cellulose (b) PVC  
(c) Teflon (d) Polyethylene
10. Which of the following is thermoplastic  
(a) Nylon (b) Polyethylene  
(c) Terylene (d) All of these
11. Which of the following is an example of condensation polymer  
(a) Nylon  
(b) Bakelite  
(c) Urea-formaldehyde resin  
(d) All of these
12. Which of the following is a natural polymer  
(a) Polyester (b) Glyptal  
(c) Starch (d) Nylon-6
13. Which is a naturally occurring polymer  
[BHU 1980]  
(a) Polythene (b) PVC  
(c) Acetic acid (d) Protein
14. Which of the following is a branched polymer  
(a) Low density polymer (b) Polyester  
(c) High density polymer (d) Nylon
15. Which is the monomer of polypeptide  
(a) Propene (b) Butadiene  
(c) Adipic acid (d) Amino acid
16. Which of the following is an addition polymer  
(a) Glucose (b) Polyethylene  
(c) Ethylene (d) Terylene
17. Which one of the following is a linear polymer  
[KCET 1998]  
(a) Amylopectin (b) Glycogen  
(c) Starch (d) Amylose
18. Which of the following polymer is an example of fibre  
[AIIMS 2000; Pb. CET 2001]  
(a) Silk (b) Dacron  
(c) Nylon-66 (d) All of these
19. Natural rubber is which type of polymer  
[DCE 2002]  
(a) Condensation polymer (b) Addition polymer  
(c) Co-ordination polymer (d) None of these
20. Polyethylene is  
[DCE 2003]  
(a) Random copolymer (b) Homo polymer  
(c) Alternate copolymer (d) Crosslinked copolymer
21. Which of the following is a biodegradable polymer  
[AIIMS 2004]  
(a) Cellulose (b) Polythene  
(c) Polyvinyl chloride (d) Nylon-6
22. Which of the following is an example of condensation polymers  
[MP PMT 1995; BHU 2000; UPSEAT 2004]  
(a) Polythene (b) PVC  
(c) Orlon (d) Terylene
23. Nylon is not a  
[KCET 2004]  
(a) Condensation polymer (b) Polyamide  
(c) Copolymer (d) Homopolymer
24. Which of the following is not an example of additional polymer [KCET 2001; CBS]  
(a) Terylene (b) Polypropylene  
(c) Polyethylene (d) Polystyrene
25. Polythene is  
(a) Thermoplastic (b) Thermosetting  
(c) Both (a) and (b) (d) None of these
26. Bakelites are  
(a) Rubber (b) Rayon  
(c) Resins (d) Plasticisers
27. Which of the following is a step-growth polymer  
(a) Polyisoprene (b) Polythene  
(c) Nylon (d) Polyacrylonitrile
28. An example of chain growth polymer is [Pb. PMT 1999]  
(a) Nylon-66 (b) Bakelite  
(c) Terylene (d) Teflon
29. Which of the following is synthetic rubber  
[NCERT 1978]  
(a) Buna-S (b) Neoprene  
(c) Both (a) and (b) (d) None of these
30. Which of the following is a linear polymer  
(a) Nylons  
(b) Bakelite  
(c) Low density polythene

- (d) Melamine-formaldehyde polymer
31. Which of the following is not an example of natural polymer [BHU 1987]
- (a) Wool (b) Silk  
(c) Leather (d) Nylon
32. Which of the following is a chain growth polymer
- (a) Nylon-6 (b) Dacron  
(c) Glyptal (d) Polypropylene
33. Natural rubber is a [MP PMT 1994]
- (a) Polyester (b) Polyamide  
(c) Polyisoprene (d) Polysaccharide
34. Which of the following is not a synthetic polymer [MP PET 1999]
- (a) Polyethylene (b) PVC  
(c) Nylon (d) Cellophane
35. Nylon-66 is a [RPET 1999; MP PMT 1993]
- (a) Natural polymer (b) Condensation polymer  
(c) Addition polymer (d) Substitution polymer
36. A condensation polymer among the following polymers is [KCET 2002]
- (a) PVC (b) Teflon  
(c) Decron (d) Polystyrene
37. Which of the following is not a natural polymer [AFMC 2003]
- (a) Cellulose (b) Protein  
(c) PVC (d) Nucleic acid
38. Which of the following is not correct regarding terylene [Kerala PMT 2004]
- (a) Step-growth polymer  
(b) Synthetic fibre  
(c) Condensation polymer  
(d) It is also called decron  
(e) Thermosetting plastic
39. Which is not a polymer [DPMT 2005]
- (a) Sucrose (b) Enzyme  
(c) Starch (d) Teflon
- (b) Isotactic polyvinylchloride  
(c) Syndiotactic polyvinylchloride  
(d) All of these
5. Monomers are converted to polymer by [DCE 2002]
- (a) Hydrolysis of monomers  
(b) Condensation reaction between monomers  
(c) Protonation of monomers  
(d) None of these
6. Polymer formation from monomers starts by [AIIEE 2002]
- (a) Condensation reaction between monomers  
(b) Coordinate reaction between monomers  
(c) Conversion of monomer to monomer ions by protons  
(d) Hydrolysis of monomers
7. When condensation product of hexamethylenediamine and adipic acid is heated to  $553\text{ K}$  ( $80^\circ\text{C}$ ) in an atmosphere of nitrogen for about 4-5 hours, the product obtained is [DCE 2002; MHCET 2004]
- (a) Solid polymer of nylon 66  
(b) Liquid polymer of nylon 66  
(c) Gaseous polymer of nylon 66  
(d) Liquid polymer of nylon 6
8. Polymerization of glycol with dicarboxylic acids is
- (a) Addition polymerisation  
(b) Condensation polymerisation  
(c) Telomerisation  
(d) Any of these
9. The 'mercerised cellulose' is chemically prepared by
- (a) Acetylation (b) Mercuriation  
(c) Halogenation (d) Hydrolysis
10. The plastics if are hard, become soft and readily workable by addition of certain compounds called
- (a) Catalysts (b) Telomers  
(c) Plasticisers (d) Vulcaniser
11. The alkyl resins are condensation polymers obtained from dibasic acids and
- (a) Phenol (b) Glycol  
(c) Glycerol (d) Formaldehyde
12. Celluloid is
- (a) A thermoplastic material obtained from caprolactam and urea  
(b) A thermoplastic material obtained from cellulose nitrate and camphor  
(c) A thermosetting material obtained from urea and formaldehyde  
(d) A thermosetting material obtained from glycerol and phthalic anhydride
13. The product of addition polymerisation reaction is [KCET 1993]
- (a) PVC (b) Nylon  
(c) Terylene (d) Polyamide
14. Example of condensation polymer is [RPMT 1999]
- (a) Formaldehyde  $\rightarrow$  meta-formaldehyde  
(b) Acetaldehyde  $\rightarrow$  para-aldehyde  
(c) Acetone  $\rightarrow$  mesityl oxide  
(d) Ethene  $\rightarrow$  polyethene
15. Complete hydrolysis of cellulose gives [AIIEE 2003]





### General Methods of Preparation and Mechanism of Polymerisation

1. Which of the following is a syndiotactic polymer in  $[-CH_2-C(YZ)-]_n-$
- (a) All Y groups lie on one side of the chain and all Z groups on the other side  
(b) The Y and Z groups lie alternately on each side of the chain  
(c) The Y and Z groups are arranged in a random fashion  
(d) Y and Z groups are same
2. Polymers of the type  $Z-Mn-Y$ , i.e. those which contain a foreign molecule in addition to the recurring unit are known as
- (a) Semisynthetic polymers (b) Atactic polymers  
(c) Telomers (d) Plasticiser
3. In the natural rubber 'Caoutchouc', the isoprene units are joined by
- (a) Head-to-head (b) Tail-to-tail  
(c) Head-to-tail (d) All of these
4. The degree of crystallinity of which of the following is highest
- (a) Atactic polyvinylchloride




- (a) D-fructose (b) D-ribose  
(c) D-glucose (d) L-glucose
16. Which of the following can be polymerised to polythene  
(a) Ethylene (b) Ethylene chlorohydrin  
(c) Ethyl acetate (d) Ethylmethyl ketone
17. Polypropylene can be obtained by polymerisation of  
(a)  $CH \equiv CH$  (b)  $CH_2 = CH_2$   
(c)  $CH_3 - CH = CH_2$  (d)  $CH_3 - C \equiv CH$
18. When heated with zinc chloride, lactides forms a linear polymer which may be  
(a) Polystyrene (b) Polyamide  
(c) Polyester (d) Polythene
19. Which of the following has been used in the manufacture of non-inflammable photographic films  
(a) Cellulose nitrate  
(b) Cellulose acetate  
(c) Cellulose xanthate  
(d) Cellulose perchlorate
20. The phenol-formaldehyde resins are formed by polymerisation of phenol and formaldehyde by  
(a) Addition polymerisation  
(b) Condensation polymerisation  
(c) Both (a) and (b)  
(d) None of these
21. PVC is obtained by polymerization of  
(a)  $CH_2 = CH - CH_2 - Cl$  (b)  $CH_2 = CH - Cl$   
(c)  $CH_3 - Cl$  (d)  $CH_3 - CHCl_2$
22. The monomers used in the production of nylon-66 are  
[CBSE 1999; RPET 2000; KCET 2000; Kurukshetra CEE 2002]  
(a) Hexamethylene diamine and ethylene glycol  
(b) Adipic acid and ethylene glycol  
(c) Adipic acid and hexamethylene diamine  
(d) Dimethyl terephthalate and ethylene glycol
23. A raw material used in making nylon is  
[NCERT 1980; MP PET 2004]  
(a) Adipic acid (b) Butadiene  
(c) Ethylene (d) Methyl methacrylate
24. Nylon is formed when a dicarboxylic acid is treated with a  
(a) Dihydric alcohol (b) Polyhydric alcohol  
(c) Diamine (d) Diester
25. Vinyl chloride can be converted into PVC. In this reaction, the catalyst used is  
(a) Peroxides (b) Cuprous chloride  
(c) Anhydrous zinc chloride (d) Anhydrous  $AlCl_3$
26. Terylene is [BHU 2000]  
(a) An addition polymer with a benzene ring in every repeating unit  
(b) A condensation polymer with a benzene ring in every repeating unit  
(c) An addition polymer with two carbon atoms in every repeating unit  
(d) A condensation polymer with two nitrogen atoms in every repeating unit
27. Teflon is a polymer of the monomer or Teflon is obtained by the polymerisation of [CPMT 1986, 91; MP PET/PMT 1998; AIIMS 2002]  
(a) Monofluoroethene (b) Difluoroethene  
(c) Trifluoroethene (d) Tetrafluoroethene
28. The catalyst used in the manufacture of polyethene by Ziegler method is [KCET 1993, 99]  
(a) Titanium tetrachloride and triphenyl aluminium  
(b) Titanium tetrachloride and trimethyl aluminium  
(c) Titanium dioxide  
(d) Titanium isopropoxide
29. Acetate rayon is prepared from [Kurukshetra CEE 1998]  
(a) Acetic acid (b) Glycerol  
(c) Starch (d) Cellulose
30. The compound required for the formation of a thermosetting polymer with methanol is [CBSE 1992, 95; MNR 1993; JIPMER 1999; BHU 2000; AFMC 2000; MP PET 2003; RPMT 2002]  
(a) Benzene (b) Phenyl amine  
(c) Benzaldehyde (d) Phenol
31. Which polymer is formed by chloroethene [RPET 1999]  
(a) Teflon (b) Polyethene  
(c) PVC (d) Nylon
32. The starting material for the preparation of styrene is [MP PMT 2001]  
(a) Ethane (b) Ethene  
(c) Ethyne (d) Vinyl chloride
33. The catalyst used for the polymerisation of olefins is [Kerala (Engg.) 2002]  
(a) Ziegler Natta catalyst  
(b) Wilkinson's catalyst  
(c) Pd-catalyst  
(d) Zeise's salt catalyst
34. Rayon yarns are obtained from [MP PET 2001]  
(a) Polymethylene (b) Polyesters  
(c) Cellulose (d) Styrene
35. Which one of the following monomers gives the polymer neoprene on polymerization [CBSE PMT 2003]  
(a)  $CF_2 = CF_2$  (b)  $CH_2 = CHCl$   
(c)  $CCl_2 = CCl_2$  (d)  $CH_2 = \overset{Cl}{\underset{|}{C}} - CH = CH_2$
36. Terylene is the polymer of [AFMC 1993; Manipal MEE 1995; KCET 1998; 2001]  
(a) Ethylene glycol and terephthalic acid  
(b) Melamine and formaldehyde  
(c) Vinyl chloride and formaldehyde  
(d) Hexamethylene diamine and adipic acid
37. The compound used in the manufacture of terylene is [MP PET 1996]

- (a) Ethylene (b) Vinyl chloride  
(c) Ethylene glycol (d) Adipic acid
38. PVC is prepared by the polymerisation of [Pb. CET 2002]  
(a) Ethylene (b) 1-chloropropene  
(c) Propene (d) 1-chloroethene
39. Condensation product of caprolactam is [BCECE 2005]  
(a) Nylon-6 (b) Nylon-66  
(c) Nylon-60 (d) Nylon-6,10
- (a) Nitrogen (b)  $KMnO_4$   
(c) Nitrogen dioxide (d) Potassium chlorate
13. Ethylene-propylene rubber (EPR) is  
(a) Unsaturated, stereoregular  
(b) Saturated, stereoregular  
(c) Atactic, unsaturated  
(d) Syndiotactic, unsaturated
14. The monomeric units of terylene are glycol and which of the following

### Composition, Properties and Uses of Polymer

1. Discovery of 'nylon' is associated with  
(a) Newyork and London (b) Newyork and Longuet  
(c) Nyholm and London (d) None of these
2. Which of the following is resistant to boiling aqua-regia  
(a) Polythene (b) Perspex  
(c) Teflon (d) Bakelite
3. Nylon polymers are  
(a) Acidic (b) Basic  
(c) Amphoteric (d) Neutral
4. Nylon yarns are usually  
(a) Highly inflammable  
(b) Non-inflammable  
(c) Both (a) and (b) types are known  
(d) Uncertain inflammability
5. Which of the following is a synthetic polymer  
(a) Rubber (b) Perspex  
(c) Protein (d) Cellulose
6. The mass average molecular mass & number average molecular mass of a polymer are respectively 40,000 and 30,000. The polydispersity index of polymer will be [Kerala CET 2005]  
(a)  $< 1$  (b)  $> 1$   
(c) 1 (d) 0  
(e)  $-1$
7. In the process of forming 'mercerised cellulose' the swelling of cellulose is caused by  
(a) Water (b)  $Na_2CO_3$   
(c) Aq. NaOH (d) Aq. HCl
8. 'Rayon' is  
(a) Natural silk (b) Artificial silk  
(c) Natural plastic or rubber (d) Synthetic plastic
9. As the molecular weight increases the tensile strength of polymers  
(a) Increases (b) Decreases  
(c) Remains unchanged (d) Uncertain
10. Triethyl aluminium titanium chloride used in plastic industry is a  
(a) Vulcaniser (b) Plasticiser  
(c) Ziegler-Natta catalyst (d) Telomer
11. Glyptals are chiefly employed in  
(a) Toy making (b) Surface coating  
(c) Photofilm making (d) Electrical insulators
12. The sterile gauze (or cotton) used in medicine is obtained by oxidising cellulose with  
(a) Nitrogen (b)  $KMnO_4$   
(c) Nitrogen dioxide (d) Potassium chlorate
13. Ethylene-propylene rubber (EPR) is  
(a) Unsaturated, stereoregular  
(b) Saturated, stereoregular  
(c) Atactic, unsaturated  
(d) Syndiotactic, unsaturated
14. The monomeric units of terylene are glycol and which of the following
- (a)  (b)   
(c)  (d) 
15. Neoprene, a synthetic rubber contains which of the following element besides C and H  
(a) N (b) O  
(c) Cl (d) F
16. Acrylic resins are  
(a) Colourless and transparent  
(b) Dark brown and thermosetting  
(c) Dark brown and thermoplastic  
(d) White like milk
17. Which of the following has a higher glass-transition temperature  
(a) Polyethylene (b) Polypropylene  
(c) Polyvinylchloride (d) Polystyrene
18. A polymer with the high chemical stability has  $M.P.$   $327^\circ C$  and the density of complete crystalline sample is  $2.3 \text{ g/cm}^3$ . It can be  
(a) PVC (b) Teflon  
(c) Melamine (d) Bakelite
19. The process of vulcanisation makes rubber  
(a) Soluble in water (b) Elastic  
(c) Hard (d) Soft
20. Terylene is a [AFMC 1989; MP PET 1994; RPET 1999; Kerala (med.) 2002; MP PMT 2004]  
(a) Polyamide (b) Polyester  
(c) Polyethylene (d) Polypropylene
21.  $F_2C = CF_2$  is the monomer of [CBSE PMT 2000]  
(a) Nylon-6 (b) Buna-S  
(c) Glyptal (d) Teflon
22. Molecular mass of a polymer is  
(a) Small (b) Very small  
(c) Negligible (d) Large
23. Which of the following has cross-links  
(a) Vulcanised rubber  
(b) Nylon  
(c) Phenol-formaldehyde resins  
(d) Both (a) and (c) are correct
24. Orlon is a polymer of [NCERT 1984; BHU 1995; AFMC 1997; DCE 2001]  
(a) Styrene (b) Tetrafluoro ethylene  
(c) Vinyl chloride (d) Acrylonitrile
25. Caprolactam is the monomer of [DCE 2000]  
(a) Nylon-6 (b) Glyptal

- (c) P.T.F.E. (d) Melamine
26. Which of the following intermolecular forces are present in 'nylon – 66' [JIPMER 1997]  
(a) Vander Waals (b) Hydrogen bonding  
(c) Dipole-dipole interaction (d) None of these
27. Neoprene is a polymer of [AFMC 1993; NCERT 1980, 84, 86; CBSE 1991; DCE 2001]  
(a) Propene (b) Vinyl chloride  
(c) Chloroprene (d) Butadiene
28. Polyvinyl chloride is  
(a) An isomer of vinyl chloride  
(b) An addition product of vinyl chloride  
(c) An allotrope polymer of vinyl chloride  
(d) A polymer of hydrated vinyl chloride
29. Which of the following polymers are hard  
(a) Linear (b) Cross-linked  
(c) Branched chain (d) Thermoplastic
30. Which of the following has the largest molecular mass  
(a) Monomer (b) Dimer  
(c) Polymer (d) Oligomer
31. Heating of rubber with sulphur is known as [CBSE PMT 1989]  
(a) Galvanisation (b) Vulcanisation  
(c) Bessemerisation (d) Sulphonation
32.  $CH_2 = CH_2$  is a [MP PMT 1986; CBSE PMT 1991]  
(a) Monomer (b) Polymer  
(c) Isomer (d) Equimer
33. Which of the following fibres are made of polyamides [CPMT 1982; NCERT 1981; MNR 1992; DCE 1999; UPSEAT 2001, 02]  
(a) Dacron (b) Orlon  
(c) Nylon (d) Rayon
34. Which is not a polymer [CPMT 1994]  
(a) Ice (b) Starch  
(c) Protein (d) Cellulose
35. Acrylonitrile forms [BHU 1995]  
(a) Terylene (b) Orlon  
(c) PVC (d) Bakelite
36. Synthetic fibres like nylon-66 are very strong because  
(a) They have high molecular weights and high melting points  
(b) They have a high degree of cross-linking by strong  $C-C$  bond  
(c) They have linear molecules consisting of very long chains  
(d) They have linear molecules interlinked with forces like hydrogen bonding
37. Natural rubber contains several thousand units of  $X$  linked together in the polymer chain.  $X$  is [NCERT 1980, 84; BHU 1983; CBSE PMT 1991; MP PMT 2001]  
(a) Neoprene (b) Isoprene  
(c) Chloroprene (d) Styrene
38. Natural rubber is basically a polymer of or The monomer of natural polymer rubber is [MP PMT 1993, 95, 98, 99, 2000, 01; RPET 2000; MP PMT/PET 1998; MP PET 1994, 95, 98, 2001; BHU 1999; 2001; CBSE PMT 1999]  
(a) Neoprene (b) Isoprene  
(c) Chloroprene (d) Butadiene
39. What is not true about polymers [MP PET 1999]  
(a) Polymers do not carry any charge  
(b) Polymers have high viscosity  
(c) Polymers scatter light  
(d) Polymers have low molecular weight
40. The synthetic polymer which resembles natural rubber is [Bihar MEE 1996; DCE 2004]  
(a) Neoprene (b) Chloroprene  
(c) Glyptal (d) Nylon
41. Which one is a polymer compound [CPMT 1997; Bihar MEE 1997]  
(a)  $SO_2$  (b)  $CO_2$   
(c)  $CH_4$  (d)  $PVC$
42. Which one of the following is used to make 'non-stick' cookware [CBSE PMT 1999]  
(a)  $PVC$   
(b) Polystyrene  
(c) Polyethylene terephthalate  
(d) Polytetrafluoroethylene
43. The polymer used for making contact lenses for eyes is [AMU 1999]  
(a) Polymethylmethacrylate (b) Polyethelene  
(c) Polyethylacrylate (d) Nylon-6
44. Which polymer is used for making magnetic recording tapes [AMU 1999]  
(a) Dacron (b) Acrilan  
(c) Glyptal (d) Bakelite
45. Characteristic property of Teflon is [RPET 2000]  
(a) 2000 poise viscosity  
(b) High surface tension  
(c) Non-inflammable and resistant to heat  
(d) Highly reactive
46. Which of the following is not a polymer [MP PET 2001]  
(a) Silk (b) DNA  
(c) DDT (d) Starch
47. Nylone 66 is [RPMT 2002; MH CET 2003; AFMC 1998]  
(a) Polyamide (b) Polyester  
(c) Polystyrene (d) Polyvinyl
48. Isoprene is a valuable substance for making [MP PET 2002; UPSEAT 2004]  
(a) Propene (b) Liquid fuel  
(c) Synthetic rubber (d) Petrol
49. Terylene is used for making [AFMC 2002]  
(a) Silks (b) Fabrics  
(c) Seat belts (d) All of these
50. Nylon threads are made of [MP PMT 2001, 03; AIEEE 2003]  
(a) Polyvinyl polymer (b) Polyester polymer  
(c) Polyamide polymer (d) Polyethylene polymer
51. Nylon – 66 is [RPMT 2003]  
(a)  $\left[ -\overset{O}{\parallel}C-(CH_2)_4-\overset{O}{\parallel}C-NH-(CH_2)_6-NH- \right]_n$



52. Which of the following is currently used as a tyre cord  
[Kerala (Med.) 2003]

- (a) Terelene (b) Polyethylene  
(c) Polypropylene (d) Nylon - 6

53. PVC is polymer of [CPMT 2003]

- (a)  $CH_2 = CH_2$  (b)  $CH_2 = CH - Cl$   
(c)  $CH_2 = CH - CH_2Cl$  (d)  $CH_3 - CH = CH - Cl$

54. Teflon is a polymer of [Kerala PMT 2004]

- (a) Tetrafluoro ethane  
(b) Tetrafluoro propene  
(c) Difluorodichloro ethane  
(d) Difluoro ethene  
(e) Trifluoro ethene

55. Which of the following is used in vulcanization of rubber  
[MH CET 2004]

- (a)  $SF_6$  (b)  $CF_4$   
(c)  $Cl_2F_2$  (d)  $C_2F_2$

56. PVC is used for ..... [Orissa JEE 2002]


- (a) Manufacture of cosmetics  
(b) Manufacture of tyres  
(c) Manufacture of nonstick pans  
(d) Manufacture of plastic pipes

57. Polythene is a resin obtained by polymerisation of or The monomer unit in polythene is

[CPMT 1983; JIPMER 1997; MP PMT 2002]




- (a) Butadiene (b) Ethylene  
(c) Isoprene (d) Propylene

58. The monomer of the polymer







- (a)  $H_2C = C \begin{matrix} \swarrow CH_3 \\ \searrow CH_3 \end{matrix}$  (b)  $(CH_3)_2C = C(CH_3)_2$   
(c)  $CH_3CH = CHCH_3$  (d)  $CH_3CH = CH_2$

59. The monomer of Nylon-6 is/are [DPMT 2004]



60. Which of the following is teflon

[MP PMT 2000, 03]



61. Thermosetting plastics are

- (a) Soluble in water (b) Soluble in alcohol  
(c) Soluble in benzene (d) Insoluble

62. Cellulose is

- (a)  $(C_6H_{10}O_5)_n$  (b)  $(C_3H_3N_3)_n$   
(c)  $(C_3H_6N_6)_n$  (d)  $(C_{12}H_{22}O_{11})_n$

63. The molecular weight of cellulose varies between

- (a) 1000 to 20000 (b) 20000 to 500000  
(c) 100 to 200 (d) 1000000 to 5000000

64. The value of  $n$  in the formula  $(C_5H_{10}O_5)_n$  for inulin is about

- (a) 30 (b) 300  
(c) 3000 (d) 300000

65. 'Starch' consists of two fractions; one is  $\alpha$ -amylose and the other is

- (a) Amylopectin (b) Glycogen  
(c) Pecticamide (d) Alginic acid

66. The process of heat-softening, moulding and cooling to rigidity can be repeated for which plastics

- (a) Thermoplastics (b) Thermosetting plastics  
(c) Both (a) and (b) (d) None of the above

67. In the trinitrocellulose each glucose unit contains how many  $-OH$  groups

- (a) 2 (b) 3  
(c) 4 (d) 5

68. Shellac contains mainly

- (a) Cellulose  
(b) Polyhydroxy organic acids  
(c) Polyamides  
(d) Polyesters

69. In elastomer, intermolecular forces are

[AIIMS 2000; BHU 2004]

- (a) Nil (b) Weak  
(c) Strong (d) Very strong

70. Cellulose is a polymer of [CBSE PMT 2002]

- (a) Fructose (b) Ribose  
(c) Glucose (d) Sucrose

71. Which of the following polymer has ester linkage

[BVP 2004]

- (a) Nylon-66 (b) PVC  
(c) Terylene (d) SBR
72. Acrilan is a hard, horny and a high melting material. Which of the following represents its structure [CBSE PMT 2003]
- (a)  $\left[ -CH_2 - \underset{\text{Cl}}{\underset{|}{CH}} - \right]_n$  (b)  $\left[ -CH_2 - \underset{\text{CN}}{\underset{|}{CH}} - \right]_n$   
(c)  $\left[ -CH_2 - \underset{\text{COOCH}_3}{\underset{|}{C}} - \right]_n$  (d)  $\left[ CH - \underset{\text{COOC}_2\text{H}_5}{\underset{|}{C}} - \right]_n$
73. Which of the following has amide links  
(a) Protein (b) Nylon  
(c) Peptide (d) All of these
74. Which of the following is a polyamide [AIEEE 2005]  
(a) Teflon (b) Nylon -66  
(c) Terylene (d) Bakelite
75. Which of the following is fully fluorinated polymer [AIEEE 2005]  
(a) Neoprene (b) Teflon  
(c) Thiokol (d) PVC
76. Three dimensional molecules with cross links are formed in the case of a [KCET 2005]  
(a) Thermoplastic (b) Thermosetting plastic  
(c) Both (d) None



## Critical Thinking

### Objective Questions

1. Trans-form of polyisoprene is  
(a) Gutta-percha (b) Hydrochloride rubber  
(c) Buna-N (d) Synthetic rubber
2. Wash and wear clothes are manufactured using  
(a) Nylon fibres (b) Cotton mixed with nylon  
(c) Terylene fibres (d) Wool fibres
3. In the manufacture of polythene by the Ziegler process using ethylene, the temperature for proper polymerisation required is  
(a) Below  $10^\circ\text{C}$  (b)  $10^\circ$  to  $50^\circ\text{C}$   
(c)  $50^\circ$  to  $80^\circ\text{C}$  (d)  $80^\circ$  to  $140^\circ\text{C}$
4. High density polyethylene (HDPE) can be prepared from ethylene by  
(a) Ziegler-Natta process  
(b) Heating with peroxides  
(c) Condensing in sealed tubes  
(d) Condensing with styrenes
5. Perlon is [AFMC 2001]  
(a) Rubber (b) Nylon-6  
(c) Terylene (d) Oxlon
6. Styrene at room temperature is  
(a) Solid (b) Liquid  
(c) Gas (d) Colloidal solution
7. Which one of the following can be used as monomer in a polymerisation reaction [MP PMT 1993]  
(a)  $\text{CH}_3\text{CH}_2\text{Cl}$  (b)  $\text{CH}_3\text{CH}_2\text{OH}$

- (c)  $\text{C}_6\text{H}_6$  (d)  $\text{C}_3\text{H}_6$

8. The Ziegler-Natta catalysts are  
(a) Stereospecific  
(b) Non-metallic complexes  
(c) Gaseous catalysts  
(d) Universal in all polymerisation reactions
9. Melamine is  
(a) Gas (b) Yellow liquid  
(c) White crystalline solid (d) Colloidal solution
10. Glyptal is a  
(a) Viscose rayon (b) Nylon  
(c) Polystyrene (d) Alkyd resin
11. Which of the following is not polyamide [AFMC 2000; CBSE PMT 2001; KCET 2001]  
(a) Nylon-66 (b) Protein  
(c) Glyptal (d) Nylon-6
12. Which of the following statement is correct regarding the drawbacks of raw rubber [AIIMS 2001]  
(a) It is plastic in nature  
(b) It has little durability  
(c) It has large water-absorption capacity  
(d) All of these
13. Which of the following is a chain growth polymer [CBSE PMT 2004]  
(a) Polystyrene (b) Protein  
(c) Starch (d) Nucleic acid
14. 'Celanese silk' is  
(a) Cellulose trinitrate (b) Cellulose acetate  
(c) Cellophane (d) Pyroxylin
15. Ebonite is [CBSE PMT 2000]  
(a) Poloprene (b) Natural rubber  
(c) Synthetic rubber (d) Highly vulcanized rubber
16. Polymer used in bullet proof glass is [MP PET 2004]  
(a) Lexane (b) PMMA  
(c) Nomex (d) Kevlar



## Assertion & Reason

For AIIMS Aspirants

Read the assertion and reason carefully to mark the correct option out of the options given below :

- (a) If both assertion and reason are true and the reason is the correct explanation of the assertion.  
(b) If both assertion and reason are true but reason is not the correct explanation of the assertion.  
(c) If assertion is true but reason is false.  
(d) If the assertion and reason both are false.  
(e) If assertion is false but reason is true.

1. Assertion : The time of vulcanisation and temperature is increased by adding accelerators.  
Reason : By vulcanising, a material of high tensile strength can be obtained.
2. Assertion : Hydrogenation is the process of converting an oil into a fat, called vegetable ghee.  
Reason : Hydrogenation as carried out in presence of a catalyst usually finely divided nickel.

3. Assertion : In vulcanisation of rubber, sulphur cross links are introduced.  
Reason : Vulcanisation is a free radical initiated chain reaction.
4. Assertion : Bakelite is a thermosetting polymer.  
Reason : Bakelite can be melted again and again without any change.
5. Assertion : Teflon has high thermal stability and chemical inertness.  
Reason : Teflon is a thermoplastic.