

# The \*Best Python Cheat Sheet

Just what you need

Built-in (1)	Execution (26)	List (9)	Set (10)
Bytes (11)	Flow control (5)	Number (22)	String (18)
Class (12)	Function (11)	Operator (3)	Test (26)
Debug (26)	Generator (17)	Regex (19)	Time (23)
Decorator (14)	Iterator (16)	Resource (26)	Tuple (8)
Dictionary (9)	Keyword (1)	Scope (6)	Types (26)
Exception (24)	Library (26)	Sequence (7)	

## Keyword

and	del	global	nonlocal	type <sup>①</sup>
as	elif	if	not	while
assert	else	import	or	with
break	except	in	pass	yield
case <sup>①</sup>	False	is	raise	_ <sup>①</sup>
class	finally	lambda	return	
continue	for	match <sup>①</sup>	True	
def	from	None	try	

<sup>①</sup>Soft keywords

## Built-in

### Built-in functions

abs(number)	Absolute value of number	bytes(...)	New bytes object from byte-integers, string, bytes
aiter(async_iterable)	Asynchronous iterator for an asynchronous iterable	callable(object)	True if object is callable
all(iterable)	True if all elements of iterable are true (all([]) is True)	chr(i)	One character string for unicode ordinal i (0 <= i <= 0x10ffff)
any(iterable)	True if any element of iterable is true (any([]) is False)	classmethod(func)	Transform function into class method
ascii(object)	A string with a printable representation of an object	compile(source, ...)	Compile source into code or AST object
bin(number)	Convert integer number to binary string	complex(real=0, imag=0)	Complex number with the value real + imag*1j
bool(object)	Boolean value	delattr(object, name)	Delete the named attribute, if object allows
breakpoint(*args, **kwds)	Drop into debugger via sys.breakpointhook(*args, **kwds)	dict(...)	Create new dictionary
bytearray(...)	New array of bytes from byte-integers, string, bytes, object with buffer API	dir([object])	List of names in the local scope, or object.__dir__() or attributes

<code>divmod(x, y)</code>	Return (quotient $x//y$ , remainder $x\%y$ )	<code>isinstance(object, cls_or_tuple)</code>	True if object is instance of given class(es)
<code>enumerate(iterable, start=0)</code>	Enumerate object as (n, item) pairs with n initialised to start value	<code>issubclass(cls, cls_or_tuple)</code>	True if class is subclass of given class(es)
<code>eval(source, globals=None, locals=None)</code>	Execute Python expression, string or code object from compile()	<code>iter(object, ...)</code>	Iterator for object
<code>exec(source, globals=None, locals=None)</code>	Execute Python statements, string or code object from compile()	<code>len(object)</code>	Length of object
<code>filter(func, iterable)</code>	Iterator yielding items where <code>func(item)</code> is true, or <code>bool(item)</code> if func is None	<code>list(...)</code>	Create list
<code>float(x=0)</code>	Floating point number from number or string	<code>locals()</code>	Dictionary of current local symbol table
<code>format(object, format_spec='')</code>	Formatted representation	<code>map(func, *iterables)</code>	Apply function to every item of iterable(s)
<code>frozenset(...)</code>	New frozenset object	<code>max(..., key=func)</code>	Largest item of iterable or arguments, optional key function extracts value
<code>getattr(object, name[, default])</code>	Get value of named attribute of object, else default or raise exception	<code>memoryview(object)</code>	Access internal object data via buffer protocol
<code>globals()</code>	Dictionary of current module namespace	<code>min(..., key=func)</code>	Smallest item of iterable or arguments, optional key function extracts value
<code>hasattr(object, name)</code>	True if object has named attribute	<code>next(iterator[, default])</code>	Next item from iterator, optionally return default instead of StopIteration
<code>hash(object)</code>	Hash value of object (see <code>object.__hash__()</code> )	<code>object()</code>	New featureless object
<code>help(...)</code>	Built-in help system	<code>oct(number)</code>	Convert integer to octal string
<code>hex(number)</code>	Convert integer to lowercase hexadecimal string	<code>open(file, ...)</code>	Open file object
<code>id(object)</code>	Return unique integer identifier of object	<code>ord(chr)</code>	Integer representing Unicode code point of character
<code>__import__(name, ...)</code>	Invoked by the import statement	<code>pow(base, exp, mod=None)</code>	Return base to the power of exp
<code>input(prompt='')</code>	Read string from stdin, with optional prompt	<code>print(value, ...)</code>	Print object to text stream file
<code>int(...)</code>	Create integer from number or string	<code>property(...)</code>	Property decorator
		<code>range(...)</code>	Generate integer sequence
		<code>repr(object)</code>	String representation of object for debugging

<code>reversed(sequence)</code>	Reverse iterator	<code>sum(iterable, start=0)</code>	Sums items of iterable, optionally adding start value
<code>round(number, ndigits=None)</code>	Number rounded to ndigits precision after decimal point	<code>super(...)</code>	Proxy object that delegates method calls to parent or sibling
<code>set(...)</code>	New set object	<code>tuple(iterable)</code>	Create a tuple
<code>setattr(object, name, value)</code>	Set object attribute value by name	<code>type(...)</code>	Type of an object, or build new type
<code>slice(...)</code>	Slice object representing a set of indices	<code>vars([object])</code>	Return object.__dict__ or locals() if no argument
<code>sorted(iterable, key=None, reverse=False)</code>	New sorted list from the items in iterable	<code>zip(*iterables, strict=False)</code>	Iterate over multiple iterables in parallel, strict requires equal length
<code>staticmethod(func)</code>	Transform function into static method		
<code>str(...)</code>	String description of object		

## Operator

Precedence (high->low)	Description
<code>(...,) [...,] {...,} {...:...,}</code>	tuple, list, set, dict
<code>s[i] s[i:j] s.attr f(...)</code>	index, slice, attribute, function call
<code>await x</code>	await expression
<code>+x, -x, ~x</code>	unary positive, negative, bitwise NOT
<code>x ** y</code>	power
<code>x * y, x @ y, x / y, x // y, x % y</code>	multiply, matrix multiply, divide, floor divide, modulus
<code>x + y, x - y</code>	add, subtract
<code>x &lt;&lt; y x &gt;&gt; y</code>	bitwise shift left, right
<code>x &amp; y</code>	bitwise and
<code>x ^ y</code>	bitwise exclusive or
<code>x   y</code>	bitwise or
<code>x&lt;y x&lt;=y x&gt;y x&gt;=y x==y x!=y</code>	comparison, identity, membership
<code>x is y x is not y</code>	
<code>x in s x not in s</code>	
<code>not x</code>	boolean negation
<code>x and y</code>	boolean and
<code>x or y</code>	boolean or
<code>... if ... else ...</code>	conditional expression
<code>lambda</code>	lambda expression
<code>:=</code>	assignment expression

Assignment	Usually equivalent
a = b	Assign object b to label a
a += b	a = a + b
a -= b	a = a - b
a *= b	a = a * b
a /= b	a = a / b (true division)
a // = b	a = a // b (floor division)
a %= b	a = a % b
a **= b	a = a ** b
a &= b	a = a & b
a  = b	a = a   b
a ^= b	a = a ^ b
a >>= b	a = a >> b
a <<= b	a = a << b

**Assignment expression**

Assign and return value using the *walrus operator*.

```
if matching := pattern.search(data):
    do_something(matching)

count = 0
while (count := count + 1) < 5:
    print(count)

>>> z = [1, 2, 3, 4, 5]
>>> [x for i in z if (x:=i**2) > 10]
[16, 25]
```

**Assignment unpacking**

Unpack multiple values to a name using the *splat operator*.

```
head, *body      = s # assign first value of s to head, remainder to body
head, *body, tail = s # assign first and last values of s to head and tail, remainder
                      to body
*body, tail      = s # assign last value of s to tail, remainder to body
s   = [*iterable[, ...]] # unpack to list
s   = (*iterable[, ...]) # unpack to tuple
s   = {*iterable[, ...]} # unpack to set
d2 = {**d1[, ...]}     # unpack to dict
```

**Flow control**

```

for item in <iterable>:
    ...
[else:                      # if loop completes without break
    ...]

while <condition>:
    ...
[else:                      # if loop completes without break
    ...]

break                      # immediately exit loop
continue                   # skip to next loop iteration
return[ value]             # exit function, return value | None
yield[ value]              # exit generator, yield value | None
assert <expr>[, message]  # if not expression raise AssertionError([message])

```

```

if condition:
    ...
[elif condition:
    ...]*
[else:
    ...]

<expression1> if <condition> else <expression2>

with <expression>[ as name]: # context manager
    ...

```

**Context manager**

A `with` statement takes an object with special methods:

- `__enter__()` - locks resources and optionally returns an object
- `__exit__(...)` - releases resources, handles any exception raised in the block, optionally suppressing it by returning True

```

class AutoClose:
    def __init__(self, filename):
        self.filename = filename
    def __enter__(self):
        self.f = open(self.filename)
        return self.f
    def __exit__(self, exc_type, exception, traceback):
        self.f.close()

```

```

>>> with open('test.txt', 'w') as f:
...     f.write('Hello World!')
>>> with AutoClose('test.txt') as f:
...     print(f.read())
Hello World!

```

**Match**

3.10+

```

match <expression>:
    case <pattern>[ if <condition>]: # conditional match, if "guard" clause
        ...
    case <pattern1> | <pattern2>: # OR pattern
        ...
    case _: # default case
        ...

```

**Match case pattern**

1/'abc'/True/None/math.pi	Value pattern, match literal or dotted name
<name>	Capture pattern, match any object and bind to name
_	Wildcard pattern, match any object
<type>()	Class pattern, match any object of that type
<type>(<attr>=<pattern name>, ...)	Class pattern, match object with matching attributes
<pattern>   <pattern> [   ...]	Or pattern, match any of the patterns left to right
[<pattern>[, ...[, *args]]]	Sequence pattern (list tuple), match any sequence with matching items (but not string or iterator), may be nested
{<value_pattern>: <pattern>[, ...[, **kwds]]}	Mapping pattern, match dictionary with matching items, may be nested
<pattern> as <name>	Bind match to name
<builtin>(<name>)	Builtin pattern, shortcut for <builtin>() as <name> (e.g. str, int)

**■ Class patterns**

- **Do not** create a new instance of the class
- Accept positional parameters if class defines `__match_args__` special attribute (e.g. `dataclass`)
- Sequence patterns support assignment unpacking
- Names bound in a `match` statement are visible after the `match` statement

**Scope****Scope levels:**

Builtin	Names pre-assigned in <code>builtins</code> module	Function (local)	Names defined in current function
Module (global)	Names defined in current module Code in global scope cannot access local variables	By default, has read-only access to module and enclosing function names By default, assignment creates a new local name <code>global &lt;name&gt;</code> grants read/write access to specified module name <code>nonlocal &lt;name&gt;</code> grants read/write access to specified name in closest enclosing function defining that name	By default, has read-only access to module and enclosing function names By default, assignment creates a new local name <code>global &lt;name&gt;</code> grants read/write access to specified module name <code>nonlocal &lt;name&gt;</code> grants read/write access to specified name in closest enclosing function defining that name
Enclosing (closure)	Names defined in any enclosing functions	Generator expression	Names contained within generator expression

Comprehension	Names contained within comprehension	Instance	Names contained within a specific instance
Class	Names shared across all instances	Method	Names contained within a specific instance method

- `globals()` - return dict of module scope variables
- `locals()` - return dict of local scope variables

```
>>> global_name = 1
>>> def read_global():
...     print(global_name)
...     local_name = "only available in this function"
>>> read_global()
1
>>> def write_global():
...     global global_name
...     global_name = 2
>>> write_global()
>>> print(global_name)
2
>>> def write_nonlocal():
...     closure_name = 1
...     def nested():
...         nonlocal closure_name
...         closure_name = 2
...     nested()
...     print(closure_name)
>>> write_nonlocal()
2
```

```
class C:
    class_name = 1
    def __init__(self):
        self.instance_name = 2
    def method(self):
        self.instance_name = 3
        C.class_name = 3
        method_name = 1
```

## Sequence

Operations on sequence types (Bytes, List, Tuple, String).

<code>x in s</code>	True if any <code>s[i] == x</code>	<code>s.index(x[, start[, stop]])</code>	Smallest <code>i</code> where <code>s[i] == x</code> , start/stop bounds search
<code>x not in s</code>	True if no <code>s[i] == x</code>		
<code>s1 + s2</code>	Concatenate <code>s1</code> and <code>s2</code>	<code>reversed(s)</code>	Iterator on <code>s</code> in reverse order (for string: <code>reversed(list(s))</code> )
<code>s * n, n * s</code>	Concatenate <code>n</code> copies of <code>s</code>	<code>sorted(s, cmp=func, key=getter, reverse=False)</code>	New sorted list
<code>s.count(x)</code>	Count of <code>s[i] == x</code>		
<code>len(s)</code>	Count of items		
<code>min(s)</code>	Smallest item		
<code>max(s)</code>	Largest item		

## Indexing

Select items from sequence by index or slice.

```

>>> s = [0, 1, 2, 3, 4]
>>> s[0]                      # 0-based indexing
0
>>> s[-1]                     # negative indexing from end
4
>>> s[slice(2)]              # slice(stop) - index from 0 until stop (exclusive)
[0, 1]
>>> s[slice(1, 5, 3)]        # slice(start, stop[, step]) - index from start to stop
(exclusive), with optional step size (+|-)
[1, 4]
>>> s[:2]                     # slices are created implicitly when indexing with ':'
[start:stop:step]
[0, 1]
>>> s[3::-1]                  # negative step
[3, 2, 1, 0]
>>> s[1:3]
[1, 2]
>>> s[1:5:2]
[1, 3]

```

## Comparison

- A sortable class should define `__eq__()`, `__lt__()`, `__gt__()`, `__le__()` and `__ge__()` special methods.
- With `functools @total_ordering` decorator a class need only provide `__eq__()` and one other comparison special method.
- Sequence comparison: values are compared in order until a pair of unequal values is found. The comparison of these two values is then returned. If all values are equal, the shorter sequence is lesser.

```

from functools import total_ordering

@total_ordering
class C:
    def __init__(self, a):
        self.a = a
    def __eq__(self, other):
        if isinstance(other, type(self)):
            return self.a == other.a
        return NotImplemented
    def __lt__(self, other):
        if isinstance(other, type(self)):
            return self.a < other.a
        return NotImplemented

```

## Tuple

Immutable hashable sequence.

<code>s = (1, 'a', 3.0)</code>	Create tuple
<code>s = 1, 'a', 3.0</code>	
<code>s = (1,)</code>	Single-item tuple
<code>s = ()</code>	Empty tuple
<code>(1, 2, 3) == (1, 2) + (3,)</code>	Add makes new tuple
<code>(1, 2, 1, 2) == (1, 2) * 2</code>	Multiply makes new tuple

**Named tuple**

Tuple subclass with named items.

```
>>> from collections import namedtuple
>>> Point = namedtuple('Point', ('x', 'y')) # or namedtuple('Point', 'x y')
>>> p = Point(1, y=2)
Point(x=1, y=2)
>>> p[0]
1
>>> p.y
2
```

**List**

Mutable non-hashable sequence.

<code>s = [1, 'a',       3.0] s = list(range(3))</code>	Create list	<code>s.extend(it) s[len(s):len(s)] = it</code>	Add items from iterable to end
<code>s[i] = x</code>	Replace item index i with x	<code>s.insert(i, x) s[i:i] = [x]</code>	Insert item at index i
<code>s[&lt;slice&gt;] = it</code>	Replace slice with iterable	<code>s.remove(x) del s[s.index(x)]</code>	Remove first item where s[i] == x
<code>del s[&lt;slice&gt;] s[&lt;slice&gt;] = []</code>	Remove slice	<code>y = s.pop([i])</code>	Remove and return last item or indexed item
<code>s.append(x)</code>	Add item to end	<code>s.reverse()</code>	Reverse items in place
<code>s += x s[len(s):len(s)] = [x]</code>		<code>s.sort(cmp=func, key=getter, reverse=False)</code>	Sort items in place, default ascending

**List comprehension**

```
result = [expression for item1 in iterable1{ if condition1}
          {for item2 in iterable2{ if condition2} ... for itemN in iterableN{ if
conditionN}}]

# is equivalent to:

result = []
for item1 in iterable1:
    for item2 in iterable2:
        ...
        for itemN in iterableN:
            if condition1 and condition2 ... and conditionN:
                result.append(expression)
```

**Dictionary**

Mutable non-hashable key:value pair mapping.

<code>dict() {}</code>	Empty dict	<code>dict(**kwds)</code>	Create from keyword arguments
<code>dict(&lt;sequence mappin g&gt;) {'d':4, 'a':2}</code>	Create from key:value pairs	<code>dict(zip(keys, values))</code>	Create from sequences of keys and values
		<code>dict.fromkeys(keys, value=None)</code>	Create from keys, all set to value

<code>d.keys()</code>	Iterable of keys	<code>d.popitem()</code>	Remove and return (key, value) pair (last-in, first-out)
<code>d.values()</code>	Iterable of values	<code>d.clear()</code>	Remove all items
<code>d.items()</code>	Iterable of (key, value) pairs	<code>d.copy()</code>	Shallow copy
<code>d.get(key, default=None)</code>	Get value for key, or default	<code>d1.update(d2)</code>	Add/replace key:value pairs from d2 to d1
<code>d.setdefault(key, default=None)</code>	Get value for key, add if missing	<code>d1  = d2</code> <span style="background-color: #339933; color: white;">3.9+</span>	
<code>d.pop(key)</code>	Remove and return value for key, raise KeyError if missing	<code>d3 = d1   d2</code> <span style="background-color: #339933; color: white;">3.9+</span>	Merge to new dict, d2 trumps d1
		<code>d3 = {**d1, **d2}</code>	

```
# defaultdict(<callable>) sets default value returned by callable()
import collections
collections.defaultdict(lambda: 42) # dict with default value 42
```

## Dict comprehension

```
# {k: v for k, v in <iterable>[ if <condition>]}
>>> {x: x**2 for x in (2, 4, 6) if x < 5}
{2: 4, 4: 16}
```

## Set

Mutable (`set`) and immutable (`frozenset`) sets.

<code>set()</code>	Empty set	<code>s.clear() [mutable]</code>	Remove all elements
<code>{1, 2, 3}</code>	Create (note: {} creates empty dict - sad!)	<code>s1.intersection(s2[, s3...])</code>	New set of shared elements
<code>set(iterable)</code> <code>{*iterable}</code>	Create from iterable	<code>s1.intersection_update(s2) [mutable]</code>	Update elements to intersection with s2
<code>frozenset(iterable=No ne)</code>	Create frozen set	<code>s1.union(s2[, s3...])</code>	New set of all elements
<code>len(s)</code>	Cardinality	<code>s1.difference(s2[, s3...])</code>	New set of elements unique to s1
<code>v in s</code> <code>v not in s</code>	Test membership	<code>s1.difference_update(s2) [mutable]</code>	Remove elements intersecting with s2
<code>s1.issubset(s2)</code>	True if s1 is subset of s2	<code>s1.symmetric_difference(s2)</code>	New set of unshared elements
<code>s1.issuperset(s2)</code>	True if s1 is superset of s2	<code>s1.symmetric_difference_update(s2) [mutable]</code>	Update elements to symmetric difference with s2
<code>s.add(v) [mutable]</code>	Add element	<code>s.copy()</code>	Shallow copy
<code>s.remove(v) [mutable]</code>	Remove element (KeyError if not found)	<code>s.update(it1[, it2...])</code> [mutable]	Add elements from iterables
<code>s.discard(v) [mutable]</code>	Remove element if present		
<code>s.pop() [mutable]</code>	Remove and return arbitrary element (KeyError if empty)		

**Set comprehension**

```
# {x for x in <iterable>[ if <condition>]}

>>> {x for x in 'abracadabra' if x not in 'abc'}
{'r', 'd'}
```

**Bytes**

Immutable sequence of bytes. Mutable version is `bytearray`.

<code>b'&lt;str&gt;'</code>	Create from ASCII characters and <code>\x00-\xFF</code>	<code>&lt;bytes&gt; = &lt;bytes&gt;[&lt;slice&gt;]</code>	Return bytes even if only one element
<code>bytes(&lt;ints&gt;)</code>	Create from int sequence	<code>list(&lt;bytes&gt;)</code>	Return ints in range 0 to 255
<code>bytes(&lt;str&gt;, 'utf-8')</code> <code>&lt;str&gt;.encode('utf-8')</code>	Create from string	<code>&lt;bytes_sep&gt;.join(&lt;byte_objs&gt;)</code>	Join <code>byte_objs</code> sequence with <code>bytes_sep</code> separator
<code>&lt;int&gt;.to_bytes(lengt</code> h, order, signed=False)	Create from int (order='big' 'little')	<code>str(&lt;bytes&gt;, 'utf-8')</code> <code>&lt;bytes&gt;.decode('utf-8')</code>	Convert bytes to string
<code>bytes.fromhex('&lt;hex&gt;')</code>	Create from hex pairs (can be separated by whitespace)	<code>int.from_bytes(bbytes, order, signed=False)</code>	Return int from bytes (order='big' 'little')
<code>&lt;int&gt; = &lt;bytes&gt; [&lt;index&gt;]</code>	Return int in range 0 to 255	<code>&lt;bytes&gt;.hex(sep=' ', bytes_per_sep=2)</code>	Return hex pairs

```
def read_bytes(filename):
    with open(filename, 'rb') as f:
        return f.read()

def write_bytes(filename, bytes_obj):
    with open(filename, 'wb') as f:
        f.write(bytes_obj)
```

**Function****Function definition**

```
def f(*args): ...          # f(1, 2, 3)
def f(x, *args): ...        # f(1, 2, 3)
def f(*args, z): ...        # f(1, 2, z=3)

def f(**kwds): ...          # f(x=1, y=2, z=3)
def f(x, **kwds): ...        # f(x=1, y=2, z=3) | f(1, y=2, z=3)
def f(*args, **kwds): ...    # f(x=1, y=2, z=3) | f(1, y=2, z=3) | f(1, 2, z=3)
def f(x, *args, **kwds): ... # f(x=1, y=2, z=3) | f(1, y=2, z=3) | f(1, 2, z=3)
def f(*args, y, **kwds): ... # f(x=1, y=2, z=3) | f(1, y=2, z=3)

def f(*, x, y, z): ...      # f(x=1, y=2, z=3)
def f(x, *, y, z): ...        # f(x=1, y=2, z=3) | f(1, y=2, z=3)
def f(x, y, *, z): ...        # f(x=1, y=2, z=3) | f(1, y=2, z=3) | f(1, 2, z=3)
```

**Function call**

```
args = (1, 2)           # * expands sequence to positional arguments
kwds = {'x': 3, 'y': 4} # ** expands dictionary to keyword arguments
func(*args, **kwds)    # is the same as:
func(1, 2, x=3, y=4)
```

**Class****Instantiation**

```
class C:
    """Class docstring."""
    def __init__(self, a):
        """Method docstring."""
        self.a = a
    def __repr__(self):
        """Used for repr(c), also for str(c) if __str__ not defined."""
        return f'{self.__class__.__name__}({self.a!r})'
    def __str__(self):
        """Used by str(c), e.g. print(c)"""
        return str(self.a)
    @classmethod
    def get_class_name(cls): # passed class rather than instance
        return cls.__name__
    @staticmethod
    def static(): # passed nothing
        return 1

>>> c = C(2) # instantiate

# under the covers, class instantiation does this:
obj = cls.__new__(cls, *args, **kwds)
if isinstance(obj, cls):
    obj.__init__(*args, **kwds)
```

**Instance property**

```
class C:
    @property
    def f(self):
        if not hasattr(self, '_f'):
            return
        return self._f
    @f.setter
    def f(self, value):
        self._f = value
```

**Class special methods**

Operator	Method
self + other	__add__(self, other)
other + self	__radd__(self, other)
self += other	__iadd__(self, other)
self - other	__sub__(self, other)
other - self	__rsub__(self, other)
self -= other	__isub__(self, other)
self * other	__mul__(self, other)
other * self	__rmul__(self, other)
self *= other	__imul__(self, other)
self @ other	__matmul__(self, other)
other @ self	__rmatmul__(self, other)
self @= other	__imatmul__(self, other)
self / other	__truediv__(self, other)
other / self	__rtruediv__(self, other)
self /= other	__itruediv__(self, other)
self // other	__floordiv__(self, other)
other // self	__rfloordiv__(self, other)
self //= other	__ifloordiv__(self, other)
self % other	__mod__(self, other)
other % self	__rmod__(self, other)
self %= other	__imod__(self, other)
self ** other	__pow__(self, other)
other ** self	__rpow__(self, other)
self **= other	__ipow__(self, other)
self << other	__lshift__(self, other)
other << self	__rlshift__(self, other)
self <=> other	__ilshift__(self, other)
self >> other	__rshift__(self, other)
other >> self	__rrshift__(self, other)
self >>= other	__irshift__(self, other)
self & other	__and__(self, other)
other & self	__rand__(self, other)
self &= other	__iand__(self, other)
self   other	__or__(self, other)
other   self	__ror__(self, other)
self  = other	__ior__(self, other)
self ^ other	__xor__(self, other)
other ^ self	__rxor__(self, other)
self ^= other	__ixor__(self, other)
divmod(self, other)	__divmod__(self, other)
divmod(self, other)	__rdivmod__(self, other)

Operator	Method
-self	__neg__(self)
+self	__pos__(self)
abs(self)	__abs__(self)
~self	__invert__(self) [bitwise]
self == other	__eq__(self) [default 'is', requires __hash__]
self != other	__ne__(self)
self < other	__lt__(self, other)
self <= other	__le__(self, other)
self > other	__gt__(self, other)
self >= other	__ge__(self, other)
item in self	__contains__(self, item)
bool(self)	__bool__(self)
bytes(self)	__bytes__(self)
complex(self)	__complex__(self)
float(self)	__float__(self)
int(self)	__int__(self)
round(self)	__round__(self[, ndigits])
math.ceil(self)	__ceil__(self)
math.floor(self)	__floor__(self)
math.trunc(self)	__trunc__(self)
dir(self)	__dir__(self)
format(self)	__format__(self, format_spec)
hash(self)	__hash__(self)
iter(self)	__iter__(self)
len(self)	__len__(self)
repr(self)	__repr__(self)
reversed(self)	__reversed__(self)
str(self)	__str__(self)
self(*args, **kwds)	__call__(self, *args, **kwds)
self[...]	__getitem__(self, key)
self[...] = 1	__setitem__(self, key, value)
del self[...]	__delitem__(self, key)
other[self]	__index__(self)
self.name	__getattribute__(self, name) __getattr__(self, name) [if AttributeError]
self.name = 1	__setattr__(self, name, value)
del self.name	__delattr__(self, name)
with self:	__enter__(self) __exit__(self, exc_type, exc_value, traceback)
await self	__await__(self)

## Decorator

Decorator syntax passes a function or class to a callable and replaces it with the return value.

```
def show_call(obj):
    """
    Decorator that prints obj name and arguments each time obj is called.
    """
    def show_call_wrapper(*args, **kwds):
        print(obj.__name__, args, kwds)
        return obj(*args, **kwds)
    return show_call_wrapper

@show_call # function decorator
def add(x, y):
    return x + y

# is equivalent to
add = show_call(add)

>>> add(13, 29)
add (13, 29) {}
42

@show_call # class decorator
class C:
    def __init__(self, a=None):
        pass

# is equivalent to
C = show_call(C)

>>> C(a=42)
C () {'a': 42}
```

```
# decorators optionally take arguments
def show_call_if(condition):
    """
    Apply show_call decorator only if condition is True.
    """
    return show_call if condition else lambda obj: obj

@show_call_if(False)
def add(x, y):
    return x + y

# is equivalent to
add = show_call_if(False)(add)

>>> add(13, 29)
42

@show_call_if(True)
def add(x, y):
    return x + y

>>> add(13, 29)
add(13, 29) {}
42

>>> add.__name__
'show_call_wrapper' # ugh! decorated function has different metadata

# @wraps decorator copies metadata of decorated object to wrapped object
# preserving original attributes (e.g. __name__)
from functools import wraps

def show_call_preserve_meta(obj):
    @wraps(obj)
    def show_call_wrapper(*args, **kwds):
        print(obj.__name__, args, kwds)
        return obj(*args, **kwds)
    return show_call_wrapper

@show_call_preserve_meta
def add(x, y):
    return x + y

>>> add.__name__
'add'
```

## Iterator

An iterator implements the `__iter__()` method, returning an iterable that implements the `__next__()` method. The `__next__()` method returns the next item in the collection and raises `StopIteration` when done.

```
class C:
    def __init__(self, items):
        self.items = items

    def __iter__(self):
        """Make class its own iterable."""
        return self

    def __next__(self):
        """Implement to be iterable."""
        if self.items:
            return self.items.pop()
        raise StopIteration
```

```
>>> c = C([13, 29])
>>> it = iter(c)      # get iterator
>>> next(it)         # get next item
29
>>> for item in c:   # iterate over C instance
...     print(item)
13
```

## Generator

A function with a `yield` statement returns a generator iterator and suspends function processing. Each iteration over the generator iterator resumes function execution, returns the next yield value, and suspends again.

```
def gen():
    """Generator function"""
    for i in [13, 29]:
        yield i

>>> g = gen()
>>> next(g)           # next value
13
>>> for item in gen(): # iterate over values
...     print(item)
13
29
>>> list(gen())       # list all values
[13, 29]

def parent_gen():
    yield from gen()    # delegate yield to another generator

>>> list(parent_gen())
[13, 29]
```

## Generator expression

```
# (<expression> for <name> in <iterable>[ if <condition>])
>>> g = (item for item in [13, 29] if item > 20)
>>> list(g)
[29]
```

**String**

Immutable sequence of characters.

<code>&lt;substring&gt; in s</code>	True if string contains <i>substring</i>	<code>s.lower()</code>	To lower case
<code>s.startswith(&lt;prefix&gt;[, start[, end]])</code>	True if string starts with <i>prefix</i> , optionally search bounded substring	<code>s.upper()</code>	To upper case
<code>s.endswith(&lt;suffix&gt;[, start[, end]])</code>	True if string ends with <i>suffix</i> , optionally search bounded substring	<code>s.title()</code>	To title case (The Quick Brown Fox)
<code>s.strip(chars=None)</code>	Strip whitespace from both ends, or passed characters	<code>s.capitalize()</code>	Capitalize first letter
<code>s.lstrip(chars=None)</code>	Strip whitespace from left end, or passed characters	<code>s.replace(old, new[, count])</code>	Replace <i>old</i> with <i>new</i> at most <i>count</i> times
<code>s.rstrip(chars=None)</code>	Strip whitespace from right end, or passed characters	<code>s.translate(&lt;table&gt;)</code>	Use <code>str.maketrans(&lt;dict&gt;)</code> to generate table
<code>s.ljust(width, fillchar=' ')</code>	Left justify with <i>fillchar</i>	<code>chr(&lt;int&gt;)</code>	Integer to Unicode character
<code>s.rjust(width, fillchar=' ')</code>	Right justify with <i>fillchar</i>	<code>ord(&lt;str&gt;)</code>	Unicode character to integer
<code>s.center(width, fillchar=' ')</code>	Center with <i>fillchar</i>	<code>s.isdecimal()</code>	True if [0-9], [○-፩] or [ፋ-፻]
<code>s.split(sep=None, maxsplit=-1)</code>	Split on whitespace, or <i>sep</i> str at most <i>maxsplit</i> times	<code>s.isdigit()</code>	True if isdecimal() or [፲፳፴፵፶፷፸፹፻-…]
<code>s.splitlines(keepends=False)</code>	Split lines on [\n\r\f\v\x1c-\x1e\x85\u2028\u2029] and \r\n	<code>s.isnumeric()</code>	True if isdigit() or [፲፳፴፵፶፷፸፹፻-…]
<code>&lt;separator&gt;.join(&lt;strings&gt;)</code>	Join sequence of strings with separator string	<code>s.isalnum()</code>	True if isnumeric() or [a-zA-Z…]
<code>s.find(&lt;substring&gt;)</code>	Index of first match or -1	<code>s.isprintable()</code>	True if isalnum() or [ !#\$…]
<code>s.index(&lt;substring&gt;)</code>	Index of first match or raise ValueError	<code>s.isspace()</code>	True if [\t\n\r\f\v\x1c-\x1f\x85\xxa0…]
		<code>head, sep, tail = s.partition(&lt;separator&gt;)</code>	Search for separator from start and split
		<code>head, sep, tail = s.rpartition(&lt;separator&gt;)</code>	Search for separator from end and split
		<code>s.removeprefix(&lt;prefix&gt;)</code> 3.9+	Remove <i>prefix</i> if present
		<code>s.removesuffix(&lt;suffix&gt;)</code> 3.9+	Remove <i>suffix</i> if present

**String escape**

Sequence	Escape
Literal backslash	\\\
Single quote	\'
Double quote	\"
Backspace	\b
Carriage return	\r

Sequence	Escape
Newline	\n
Tab	\t
Vertical tab	\v
Null	\0
Hex value	\xff
Octal value	\o77
Unicode 16 bit	\uxxxx
Unicode 32 bit	\Uxxxxxxxxx
Unicode name	\N{name}

**String formatting**

Format	f-string	Output
Escape curly braces	f"{{}}"	'{}'
Expression	f"{}{}/, {}' + {}'{}/.format(6/3, 'a'+'b')	'2, ab'
Justify left	f'{1:<5}'	'1      '
Justify center	f'{1:^5}'	'   1   '
Justify right	f'{1:>5}'	'      1'
Justify left with char	f'{1:.<5}'	'1....'
Justify right with char	f'{1:.>5}'	'....1'
Trim	f"{'abc':.2}"	'ab'
Trim justify left	f"{'abc':6.2}"	'ab      '
ascii()	f'{v!a}'	ascii(v)
repr()	f'{v!r}'	repr(v)
str()	f'{v!s}'	str(v)
Justify left repr()	f"{'abc'!r:6}"	"'abc'  "
Date format	f'{today:%d %b %Y}'	'21 Jan 1984'
Significant figures	f'{1.234:.2}'	'1.2'
Fixed-point notation	f'{1.234:.2f}'	'1.23'
Scientific notation	f'{1.234:.2e}'	'1.230e+00'
Percentage	f'{1.234:.2%}'	'123.40%'
Pad with zeros	f'{1.7:04}'	'01.7'
Pad with spaces	f'{1.7:4}'	' 1.7'
Pad before sign	f'{123456:+6}'	' +123'
Pad after sign	f'{123456:=+6}'	'+ 123'
Separate with commas	f'{123456:,}'	'123,456'
Separate with underscores	f'{123456:_}'	'123_456'
f'{1+1=}'	f'{1+1=}'	'1+1=2' (= prepends)
Binary	f'{164:b}'	'10100100'
Octal	f'{164:o}'	'244'
Hex	f'{164:X}'	'A4'
chr()	f'{164:c}'	'ÿ'

**Regex**

Standard library `re` module provides Python regular expressions.

```
>>> import re
>>> my_re = re.compile(r'name is (?P<name>[A-Za-z]+)')
>>> match = my_re.search('My name is Douglas.')
>>> match.group()
'name is Douglas'
>>> match.group(1)
'Douglas'
>>> match.groupdict()['name']
'Douglas'
```

**Regex syntax**

.	Any character (newline if DOTALL)		Or
^	Start of string (every line if MULTILINE)	(...)	Group
\$	End of string (every line if MULTILINE)	(?:...)	Non-capturing group
*	0 or more of preceding	(?<=...)	Named group
+	1 or more of preceding	(?P=name)	Match text matched by earlier group
?	0 or 1 of preceding	(?=...)	Match next, non-consumptive
*?, +?, ??	Same as *, + and ?, as few as possible	(?!...)	Non-match next, non-consumptive
{m,n}	m to n repetitions	(?<=...)	Match preceding, positive lookbehind assertion
{m,n}?	m to n repetitions, as few as possible	(?<!...)	Non-match preceding, negative lookbehind assertion
[ ... ]	Character set: e.g. '[a-zA-Z]'	(? (group) A   B )	Conditional match - A if group previously matched else B
[ ^ ... ]	NOT character set	(?letters)	Set flags for RE ('i', 'L', 'm', 's', 'u', 'x')
\	Escape chars '*?+&\$ ()', introduce special sequences	(?#...)	Comment (ignored)
\\	Literal '\'		

**Regex special sequences**

\<n>	Match by integer group reference starting from 1	\s	Whitespace [ \t\n\r\f\v] (see flag: ASCII)
\A	Start of string	\S	Non-whitespace (see flag: ASCII)
\b	Word boundary (see flag: ASCII LOCALE)	\w	Alphanumeric (see flag: ASCII LOCALE)
\B	Not word boundary (see flag: ASCII LOCALE)	\W	Non-alphanumeric (see flag: ASCII LOCALE)
\d	Decimal digit (see flag: ASCII)	\Z	End of string
\D	Non-decimal digit (see flag: ASCII)		

**Regex flags**

Flags modify regex behaviour. Pass to regex functions (e.g. `re.A` / `re.ASCII`) or embed in regular expression (e.g. `(?a)`).

(?a)   A   ASCII	ASCII-only match for \w, \W, \b, \B, \d, \D, \s, \S (default is Unicode)	(?m)   M   MULTILINE	Match every new line, not only start/end of string
(?i)   I   IGNORECASE	Case insensitive matching	(?s)   S   DOTALL	'.' matches ALL chars, including newline
(?L)   L   LOCALE	Apply current locale for \w, \W, \b, \B (discouraged)	(?x)   X   VERBOSE	Ignores whitespace outside character sets
		DEBUG	Display expression debug info

**Regex functions**

compile(pattern[, flags=0])	Compiles Regular Expression Obj	findall(pattern, string)	Non-overlapping matches as list of groups or tuples (>1)
escape(string)	Escape non-alphanumerics	finditer(pattern, string[, flags])	Iterator over non-overlapping matches
match(pattern, string[, flags])	Match from start	sub(pattern, repl, string[, count=0])	Replace count first leftmost non-overlapping; If repl is function, called with a MatchObj
search(pattern, string[, flags])	Match anywhere	subn(pattern, repl, string[, count=0])	Like sub(), but returns (newString, numberofSubsMade)
split(pattern, string[, maxsplit=0])	Splits by pattern, keeping splitter if grouped		

**Regex object**

flags	Flags	split(string[, maxsplit=0])	See split() function
groupindex	{group name: group number}	findall(string[, pos[, endpos]])	See findall() function
pattern	Pattern	finditer(string[, pos[, endpos]])	See finditer() function
match(string[, pos][, endpos])	Match from start of target[pos:endpos]	sub(repl, string[, count=0])	See sub() function
search(string[, pos][, endpos])	Match anywhere in target[pos:endpos]	subn(repl, string[, count=0])	See subn() function

**Regex match object**

pos	pos passed to search or match	re	RE object
endpos	endpos passed to search or match		

<code>group([g1, g2, ...])</code>	One or more groups of match One arg, result is a string Multiple args, result is tuple If <code>gi</code> is 0, returns the entire matching string If <code>1 &lt;= gi &lt;= 99</code> , returns string matching group (None if no such group) May also be a group name Tuple of match groups Non-participating groups are None String if <code>len(tuple)==1</code>	<code>span(group)</code>	( <code>start(group), end(group))</code> ; ( <code>None, None</code> ) if group didn't contribute
<code>start(group)</code> , <code>end(group)</code>	Indices of start & end of group match (None if group exists but didn't contribute)	<code>string</code>	String passed to <code>match()</code> or <code>search()</code>

## Number

<code>bool([object])</code>	Boolean
<code>True, False</code>	
<code>int([float str bool])</code>	Integer
<code>5</code>	
<code>float([int str bool])</code>	Float (inexact, compare with <code>math.isclose(&lt;float&gt;, &lt;float&gt;)</code> )
<code>5.1, 1.2e-4</code>	
<code>complex(real=0, imag=0)</code>	Complex
<code>3 - 2j, 2.1 + 0.8j</code>	
<code>fractions.Fraction(&lt;numerator&gt;, &lt;denominator&gt;)</code>	Fraction
<code>decimal.Decimal([str int])</code>	Decimal (exact, set precision: <code>decimal.getcontext().prec = &lt;int&gt;</code> )
<code>bin([int])</code>	Binary
<code>0b101010</code>	
<code>int('101010', 2)</code>	
<code>int('0b101010', 0)</code>	
<code>hex([int])</code>	Hex
<code>0x2a</code>	
<code>int('2a', 16)</code>	
<code>int('0x2a', 0)</code>	

## Mathematics

Also see built-in functions `abs`, `pow`, `round`, `sum`, `min`, `max`.

```
from math import (e, pi, inf, nan, isinf, isnan,
                 sin, cos, tan, asin, acos, atan, degrees, radians,
                 log, log10, log2)
```

## Statistics

```
from statistics import mean, median, variance, stdev, quantiles, groupby
```

**Random**

```
>>> from random import random, randint, choice, shuffle, gauss, triangular, seed
>>> random() # float inside [0, 1)
0.42
>>> randint(1, 100) # int inside [<from>, <to>]
42
>>> choice(range(100)) # random item from sequence
42
```

**Time**

The `datetime` module provides immutable hashable `date`, `time`, `datetime`, and `timedelta` classes.

**Time formatting**

Code	Output
%a	Day name short (Mon)
%A	Day name full (Monday)
%b	Month name short (Jan)
%B	Month name full (January)
%c	Locale datetime format
%d	Day of month [01,31]
%f	Microsecond [000000,999999]
%H	Hour (24-hour) [00,23]
%I	Hour (12-hour) [01,12]
%j	Day of year [001,366]
%m	Month [01,12]
%M	Minute [00,59]
%p	Locale format for AM/PM
%S	Second [00,61]. Yes, 61!
%U	Week number (Sunday start) [00(partial),53]
%w	Day number [0(Sunday),6]
%W	Week number (Monday start) [00(partial),53]
%x	Locale date format
%X	Locale time format
%y	Year without century [00,99]
%Y	Year with century (2023)
%Z	Time zone ('' if no TZ)
%z	UTC offset (+HHMM/-HHMM, '' if no TZ)
%%	Literal '%'

## Exception

```
try:  
    ...  
[except [<Exception>[ as e]]:  
    ...]  
[except: # catch all  
    ...]  
[else: # if no exception  
    ...]  
[finally: # always executed  
    ...]  
  
raise <exception>[ from <exception|None>]  
  
try:  
    1 / 0  
except ZeroDivisionError:  
    # from None hides exception context  
    raise TypeError("Hide ZeroDivisionError") from None
```

<code>BaseException</code>	<i>Base class for all exceptions</i>
<code>BaseExceptionGroup</code>	<i>Base class for groups of exceptions</i>
<code>GeneratorExit</code>	<i>Generator close() raises to terminate iteration</i>
<code>KeyboardInterrupt</code>	<i>On user interrupt key (often 'CTRL-C')</i>
<code>SystemExit</code>	<i>On sys.exit()</i>
<code>Exception</code>	<i>Base class for errors</i>
<code>ArithmetError</code>	<i>Base class for arithmetic errors</i>
<code>FloatingPointError</code>	<i>Floating point operation failed</i>
<code>OverflowError</code>	<i>Result too large</i>
<code>ZeroDivisionError</code>	<i>Argument of division or modulo is 0</i>
<code>AssertionError</code>	<i>Assert statement failed</i>
<code>AttributeError</code>	<i>Attribute reference or assignment failed</i>
<code>BufferError</code>	<i>Buffer operation failed</i>
<code>EOFError</code>	<i>input() hit end-of-file without reading data</i>
<code>ExceptionGroup</code>	<i>Group of exceptions raised together</i>
<code>ImportError</code>	<i>Import statement failed</i>
<code>ModuleNotFoundError</code>	<i>Module not able to be found</i>
<code>LookupError</code>	<i>Base class for lookup errors</i>
<code>IndexError</code>	<i>Index not found in sequence</i>
<code>KeyError</code>	<i>Key not found in dictionary</i>
<code>MemoryError</code>	<i>Operation ran out of memory</i>
<code>NameError</code>	<i>Local or global name not found</i>
<code>UnboundLocalError</code>	<i>Local variable value not assigned</i>
<code>OSError</code>	<i>System related error</i>
<code>BlockingIOError</code>	<i>Non-blocking operation will block</i>
<code>ChildProcessError</code>	<i>Operation on child process failed</i>
<code>ConnectionError</code>	<i>Base class for connection errors</i>
<code>BrokenPipeError</code>	<i>Write to closed pipe or socket</i>
<code>ConnectionAbortedError</code>	<i>Connection aborted</i>
<code>ConnectionRefusedError</code>	<i>Connection denied by server</i>
<code>ConnectionResetError</code>	<i>Connection reset mid-operation</i>
<code>FileExistsError</code>	<i>Trying to create a file that already exists</i>
<code>FileNotFoundException</code>	<i>File or directory not found</i>
<code>InterruptedError</code>	<i>System call interrupted by signal</i>
<code>IsADirectoryError</code>	<i>File operation requested on a directory</i>
<code>NotADirectoryError</code>	<i>Directory operation requested on a non-directory</i>
<code>PermissionError</code>	<i>Operation has insufficient access rights</i>
<code>ProcessLookupError</code>	<i>Operation on process that no longer exists</i>
<code>TimeoutError</code>	<i>Operation timed out</i>
<code>ReferenceError</code>	<i>Weak reference used on garbage collected object</i>
<code>RuntimeError</code>	<i>Error detected that doesn't fit other categories</i>
<code>NotImplementedError</code>	<i>Operation not yet implemented</i>
<code>RecursionError</code>	<i>Maximum recursion depth exceeded</i>
<code>StopAsyncIteration</code>	<i>Iterator __anext__() raises to stop iteration</i>
<code>StopIteration</code>	<i>Iterator next() raises when no more values</i>
<code>SyntaxError</code>	<i>Python syntax error</i>
<code>IndentationError</code>	<i>Base class for indentation errors</i>
<code>TabError</code>	<i>Inconsistent tabs or spaces</i>
<code>SystemError</code>	<i>Recoverable Python interpreter error</i>
<code>TypeError</code>	<i>Operation applied to wrong type object</i>
<code>ValueError</code>	<i>Operation on right type but wrong value</i>
<code>UnicodeError</code>	<i>Unicode encoding/decoding error</i>
<code>UnicodeDecodeError</code>	<i>Unicode decoding error</i>
<code>UnicodeEncodeError</code>	<i>Unicode encoding error</i>
<code>UnicodeTranslateError</code>	<i>Unicode translation error</i>
<code>Warning</code>	<i>Base class for warnings</i>
<code>BytesWarning</code>	<i>Warnings about bytes and bytesarrays</i>
<code>DeprecationWarning</code>	<i>Warnings about deprecated features</i>
<code>EncodingWarning</code>	<i>Warning about encoding problem</i>
<code>FutureWarning</code>	<i>Warnings about future deprecations for end users</i>
<code>ImportWarning</code>	<i>Possible error in module imports</i>
<code>PendingDeprecationWarning</code>	<i>Warnings about pending feature deprecations</i>
<code>ResourceWarning</code>	<i>Warning about resource use</i>
<code>RuntimeWarning</code>	<i>Warning about dubious runtime behavior</i>
<code>SyntaxWarning</code>	<i>Warning about dubious syntax</i>
<code>UnicodeWarning</code>	<i>Warnings related to Unicode</i>
<code>UserWarning</code>	<i>Warnings generated by user code</i>

**Execution**

```
$ python [-bBdEhiOqsSuvVWx?] [-c command | -m module-name | script | - ] [args]
$ python --version
Python 3.10.12
$ python --help[-all] # help-all [3.11+]
# Execute code from command line
$ python -c 'print("Hello, world!")'
# Execute __main__.py in directory
$ python <directory>
# Execute module as __main__
$ python -m timeit -s 'setup here' 'benchmarked code here'
# Optimise execution
$ python -O script.py

# Hide warnings
PYTHONWARNINGS="ignore"
# OR
$ python -W ignore foo.py
# OR
import warnings
warnings.filterwarnings("ignore", category=DeprecationWarning)
```

```
# module of executed script is assigned __name__ '__main__'
# so to run main() only if module is executed as script
if __name__ == '__main__':
    main()
```

**Environment variables**

PYTHONHOME	Change location of standard Python libraries	PYTHONOPTIMIZE	Optimise execution (-O)
PYTHONPATH	Augment default search path for module files	PYTHONWARNINGS	Set warning level [default/error/always/module/once/ignore] (-W)
PYTHONSTARTUP	Module to execute before entering interactive prompt	PYTHONPROFILEIMPORTTIME	Show module import times (-X)

**sitecustomize.py / usercustomize.py**

Before \_\_main\_\_ module is executed Python automatically imports:

- sitecustomize.py in the system site-packages directory
- usercustomize.py in the user site-packages directory

```
# Get user site packages directory
$ python -m site --user-site

# Bypass sitecustomize.py/usercustomize.py hooks
$ python -S script.py
```